Submittal Data



INDUSTRIAL AIR VENT MV15

Job Name:	Submitted by:	Date:
Location:	Approved by:	Date:
Engineer:	Order No.:	Date:
Contractor:	Notes:	
Sales Rep.:		

DESCRIPTION


- The air vent are fully automatic valves, that reduce air accumulation and improves systems efficiency
- ▶ The industrial air vents should be float operated and designed to release accumulated air from high points in a piping system while the system is in operation and under pressure.
- ▶ Requires no regular maintenance.

TECHNICAL SPECIFICATIONS

		Dimension				Air outlet		Maximum		Weight	
Model#	Connect.	-	A	E	3	size		Maximum		weight	
		in	mm	in	mm	in	mm	Pressure	Temperature	lb	kg
MV15	3⁄4" FNPT	5.0	128	5.12	130	1/2"	15	@250°F - 150 PSI	121°C/250°F	7.4	3.36

SCFM Capacity				
10 PSI - 0.97	40 PSI - 2.58	70 PSI - 4.10		
20 PSI - 1.54	50 PSI - 3.09	80 PSI - 4.60		
30 PSI - 2.07	60 PSI - 3.59	90 PSI - 5.10		

Par	ts Name	Material	
1	Body	Ductile Iron	
2	Float	Stainless Steel	
3	Float Arm	Stainless Steel	
4	Bolt	Stainless Steel	
5	Retainer Bolt	Stainless Steel	
6	Square Plug	Stainless Steel	



TYPICAL SPECIFICATIONS

Industrial air vents should be installed at system high points and were indicated by system designer. When installed in finished areas and when specified, valve discharge can be piped to drain.

Quebec, Canada T 450 951.0818 © calefactio_solutions

f calefactio

F 450 951.2165

in calefactio-solutions-inc